

ENGINE SPECIFICATIONS
CANADA

<u>ENGINE</u>	<u>TRANS- MISSION</u>	<u>EMISSION SYSTEM</u>	<u>SPARK PLUG</u>	<u>DISTRI- BUTOR</u>	<u>TIMING</u>	<u>IDLE SPEED*</u>	<u>IDLE MIXTURE % OF CO MEASURED*</u>	
							<u>AHEAD OF CATALYST</u>	<u>IN TAILPIPE</u>
225	A	AP	BL13Y	3874082	TDC	750	-	0.5
225	M	AP	BL13Y	3874082	TDC	800	-	0.5
318	A	AP	N13Y	3874090	2°BTC	750	-	0.5
318	M	AP	N13Y	3874090	2°BTC	750	-	0.5
360/2-BBL	A	AP	N12Y	3874115	6°BTC	750	-	0.5
360/4-BBL HI-PERF.	A	AP	N12Y	3874097	2°BTC	850	-	0.5
400/4-BBL	A	AP	J13Y	3874110	8°BTC	750	-	0.5
440/4-BBL	A	AP	RJ87P	3874173	8°BTC	750	-	0.5
440/4-BBL HI-PERF.	A	AP	J11Y	3874173	8°BTC	750	-	0.5

* SET IDLE SPEED AND CO WITH AIR PUMP DISCONNECTED AND TRANSMISSION IN NEUTRAL
AP = AIR PUMP EQUIPPED